

Natalie Waschke

Nachgefragt: Wie funktioniert Psychotherapie mit Ketamin?

Interview mit Frauke Nees

Quellen:

Feder, A. et al. (2021). A Randomized Controlled Trial of Repeated Ketamine Administration for Chronic Posttraumatic Stress Disorder. *The American Journal of Psychiatry*, 178(2), 193–202.

<https://doi.org/10.1176/appi.ajp.2020.20050596>

Feifel, D. Dadiomov, D. & Lee, K. (2020). Safety of Repeated Administration of Parenteral Ketamine for Depression. *Pharmaceuticals*, 13, 151; doi:

<https://doi.org/10.3390/ph13070151>

Mitchell, J., Bogenschutz, M. & Doblin, R. (2021). MDMA-assisted therapy for severe PTSD: a randomized, double-blind, placebo-controlled phase 3 study. *Nature*, 27, 1025–1033. Online verfügbar unter:

<https://www.nature.com/articles/s41591-021-01336-3>

Phillips, J., et al. (2020). Single and repeated ketamine infusions for reduction of suicidal ideation in treatment-resistant depression.

Neuropsychopharmacol, 45, 606–612. <https://doi.org/10.1038/s41386-019-0570-x>

Xiong, J. et al. (2021). The acute antisuicidal effects of single-dose intravenous ketamine and intranasal esketamine in individuals with major depression and bipolar disorders: A systematic review and meta-analysis. *Journal of Psychiatric Research*, 134, 57–68. doi:

[10.1016/j.jpsychires.2020.12.038](https://doi.org/10.1016/j.jpsychires.2020.12.038)

Zhang, N., Yao, L., Wang, P. & Liu, Z. (2020). Immunoregulation and antidepressant effect of ketamine. *Translational Neuroscience*, vol. 12, no. 1, 2021, pp. 218–236. <https://doi.org/10.1515/tnsci-2020-0167>