

Literaturliste zum psylife-Artikel

Was die Forschung über Therapiebeziehung weiß – und wie du's in der Praxis umsetzt ([Link](#))

von Udo Boessmann

Ackerman, S. & Hilsenroth, M. (2001). A review of therapist characteristics and techniques negatively impacting the therapeutic alliance.

Psychotherapy: Theory, Research, Practice, Training, 38(2), 171–185.

<https://doi.org/10.1037/0033-3204.38.2.171>

Ackerman, S. & Hilsenroth, M. (2003). A review of therapist characteristics and techniques positively impacting the therapeutic alliance. *Clinical Psychology Review* 23(1):1–33. DOI:10.1016/S0272-7358(02)00146-0

Asay, T. & Lambert, M. (2001). Empirische Argumente für die allen Therapien gemeinsamen Faktoren: Quantitative Ergebnisse. In: Hubble, M., Duncan, B. & Miller, S. (2001). *So wirkt Psychotherapie – Empirische Ergebnisse und praktische Folgerungen*. Dortmund: verlag modernes lernen.

Bachelor, A. (1991). Comparison and relationship to outcome of diverse dimensions of the helping alliance as seen by client and therapist. *Psychotherapy: Theory, Research, Practice, Training*, 28(4), 534–549. <https://doi.org/10.1037/0033-3204.28.4.534>

Bergin, A.E. & Garfield, S.L. (1994) Overview, trend, and future issues. In: A. E. Bergin & S. L. Garfield (Hrsg.), *Handbook of psychotherapy and behavior change* (pp. 190–228). New York: Wiley.

Claiborn, C., Ward, S. & Strong, S. (1981). Effects of congruence between counsellor interpretation and client beliefs. *Journal of Counseling Psychology, 28(2)*, 101–109. <https://doi.org/10.1037/0022-0167.28.2.101>

Crane, R.D., Griffin, W. & Hill, R.D. (1986). Influence of therapist skills on client perceptions of marriage and family therapy outcome: Implications for supervision. *Journal of Marital and Family Therapy, 12(1)*, 91–96. <https://doi.org/10.1111/j.1752-0606.1986.tb00642.x>

Dührssen, A. (1962). Katamnestische Ergebnisse bei 1004 Patienten nachanalytischer Psychotherapie. *Zeitschrift für Psychosomatische Medizin Vol. 8, No. 2*, 94–113.

Dührssen, A. & Jorswieck, E. (1965). Eine empirisch–statistische Untersuchung zur Leistungsfähigkeit psychoanalytischer Behandlung. *Zeitschrift für Psychosomatische Medizin und Psychoanalyse, Vol. 44, No. 4*, 311–318.

Elliott, R. & James E. (1989). Varieties of client experience in psychotherapy: An analysis of the literature. *Clinical Psychology Review, 9(4)*, 443–467. [https://doi.org/10.1016/0272-7358\(89\)90003-2](https://doi.org/10.1016/0272-7358(89)90003-2).

Garfield, S.L. (1994). Research on client variables in psychotherapy. In: A. E. Bergin & S. L. Garfield (Hrsg.), *Handbook of psychotherapy and behavior change* (pp. 190–228). New York: Wiley.

Gomes–Schwartz B. (1978). Effective ingredients in psychotherapy: Prediction of outcome from process variables. *Journal of Consulting and Clinical Psychology, 46(5)*, 1023–1035. <https://doi.org/10.1037/0022-006X.46.5.1023>

Grawe, K. (2004). *Neuropsychotherapie*. Bern: Hogrefe.

Horvath, A.O. (1995). The therapeutic relationship: From transference to alliance., *In Session: Psychotherapy in Practice*, 1(1), 7-17.

Horvath, A.O., Del Re, A.C., Flückiger, C. & Symonds, D. (2011). Alliance in individual psychotherapy. *Psychotherapy relationships that work: Evidence-based responsiveness* (pp. 25-69). Oxford University Press. <https://doi.org/10.1093/acprof:oso/9780199737208.003.0002>

Kolb, D. et al. (1985). Patient and therapy process variables relating to dropout and change in psychotherapy. *Psychotherapy: Theory, Research, Practice, Training*, 22(4), 702-710.

<https://doi.org/10.1037/h0085556> Krupnik, J.L. et al. (1996). The role of the therapeutic alliance in psychotherapy and pharmacotherapy outcome: Findings in the National Institute of Mental Health Treatment of Depression Collaborative Research Project. *Journal of Consulting and Clinical Psychology*, 64(3), 532-539. <https://doi.org/10.1037/0022-006X.64.3.532>

Lambert, M. (1992). Implications of outcome research for psychotherapy integration. In: J. C. Norcross & M. R. Goldfried (Hrsg.): *Handbook of psychotherapy integration*. New York: Basic Books.

Lambert, M. & Anderson, E. (1996). Assessment for the time limited psychotherapies. *American Psychiatric Press Review of Psychiatry*, 15, 23-42.

Lambert, M. & Asay, T. (1984). Patient characteristics and their relationship to psychotherapy outcome. In: M. Hersen, A. Bellack & L. Michelson (Hrsg.): *Issues in psychotherapy research*. New York: Plenum Press; zitiert nach Hilsenroth, M. & Cromer, T. (2007). Clinician Interventions Related to Alliance During the Initial Interview and Psychological Assessment. *Psychotherapy Theory Research Practice Training* 44(2):205-18.

Hilsenroth, M., Cromer, T. & Ackerman, S. (2012). How to Make Practical Use of Therapeutic Alliance Research in Your Clinical Work. In: R. Levy, J. S. Ablon,

H. Kächele (Hrsg.): *Psychodynamic Psychotherapy Research. Evidence-Based Practice and Practice-Based Evidence*. New York: Humana Press.

Hubble, M., Duncan, B. & Miller, S. (2001). *So wirkt Psychotherapie – Empirische Ergebnisse und praktische Folgerungen*. Dortmund: verlag modernes lernen.

Martin, D.J., Garske, J.P. & Davis, M.K. (2000). Relation of the therapeutic alliance with outcome and other variables: a metaanalytic review. *Journal of Consulting and Clinical Psychology*, 68(3), 438–450.

<https://doi.org/10.1037/0022-006X.68.3.438>

Norcross, J.C. (2011). *Psychotherapy relationships that work*. New York: Oxford University Press.

Okiishi, J.C., Lambert, M.J., Eggett, D., Nielsen, L., Dayton, D.D. & Vermeersch, D.A. (2006). An analysis of therapist treatment effects: toward providing feedback to individual therapists on their clients' psychotherapy outcome. *Journal of Clinical Psychology* 62(9):1157–72.

O'Malley, S. S., Suh, C.S. & Strupp, H. H. (1983). The Vanderbilt Psychotherapy Process Scale: A report on scale development and a process– outcome study. *Journal of Consulting and Clinical Psychology*, 51, 581–586.

Orlinsky, D. E., Grawe, K. & Parks, B.K. (1994). Process and outcome in psychotherapy. In: A. E. Bergin & S. L. Garfield (Hrsg.), *Handbook of psychotherapy and behavior change* (pp. 190–228). New York: Wiley.

Phillips, J.R. (1984). Influences on personal growth as viewed by former psychotherapy patients. *Dissertation Abstracts International*, 46(8-B), 2820.

Prochaska, J.O., DiClemente, C.C. & Norcross, J.C. (1992). In search of how people change: Applications to addictive behaviors. *American Psychologist*, 47, 1102–1114.

Rennie, D.L. (1990). Toward a presentation of the client's experience of the psychotherapy hour. In: G. Lietaer, J. Rombauts & R. Van Balen (Hrsg.). *Client-centered and experiential therapy in the nineties*. Leuven: Leuven University Press.

Tallmann, K., Robinson, E., Kay, D., Harvey, S. & Bohart, A. (1994). Experiential and non-experiential Rogerian therapy: An analogue study.

Vorgestellt auf der 102. Annual Convention of the American Psychological Association in Los Angeles.

Tracey, T. (1988). Relationship of responsibility attribution congruence to psychotherapy outcome. *Journal of Social and Clinical Psychology*, 7(2-3), 131–146. <https://doi.org/10.1521/jscp.1988.7.2-3.131>

Windholz, J. & Silberschatz, G. (1988). Vanderbilt psychotherapy process scale: A replication with adult outpatients. *Journal of Consulting and Clinical Psychology* 56(1), 56–60.

Zuroff, D.C. & Blatt, S.J. (2006). The therapeutic relationship in the brief treatment of depression: contributions to clinical improvement and advanced adaptive capacities. *Journal of Consulting and Clinical Psychology*, 74(1), 130–140. <https://doi.org/10.1037/0022-006X.74.1.130>